



Sanabel Alataa

For Paper and Cardboard Industries L.L.C

TYPICAL CHARACTERISTICS

QUALITY SPECIFICATIONS

WHITE TOP

PARAMETERS	UNIT	STANDARD METHOD	GRAMMAGE				
Basis Weight	g/m ²	ISO 186	110	120	125	150	175
Moisture	%	ON-LINE	7.5				
Burst Strength	Kg/cm ²	ISO 2759	2.9	3.15	3.20	3.70	4.4
SCT _{CD}	kN/m	ISO 9895	2.0	2.05	2.2	2.4	2.8
Brightness (top)	%	ISO 2470	80				
COBB (top)	g/m ²	ISO 535	35				

TOLERANCE

PARAMETERS	UNIT	STANDARD METHOD	GRAMMAGE				
Basis Weight	g/m ²	ISO 186	110	120	125	150	175
Mean Basis Weight	%		± 3%				
Moisture	%	ON-LINE	7.5				
Mean Moisture	%		± 1				
Burst Strength	Kg/cm ²	ISO 2759	± 10%				
SCT _{CD}	kN/m	ISO9895	± 10%				
Brightness (top)	%	ISO 2470	± 3				
COBB	g/m ²	ISO 535	± 10%				

PRODUCT TECH. DATA

Reel Width, Preferably Trimmings As specified
 Reel Diameters As specified
 Core Inside Diameter 100 – 100.2 mm
 Quantity Tolerance As specified



9001:2015



45001:2018



14001:2015



19465:2015

STORAGE

It is advisable to store paper in a well-ventilated area that is cool and dry, with adequate covering. Paper should be kept away from any materials that are flammable.
 Testing conditions for paper should be maintained at a temperature of 23 °C and a relative humidity of 50%.



IGBCGRS240201



Jordan – AlQastal . Phone. +962792920888 . Fax. +962792920555
info@Khattab.group . www.Khattab.group . P.O Box 16197