



Sanabel Alataa

For Paper and Cardboard Industries L.L.C

COMPANY PROFILE





Sanabel Alataa

For Paper and Cardboard Industries L.L.C

沁阳市海源造纸机械有限公司
Qin Yang Shi Hai Yuan Paper Making Machinery Co., Ltd.

WHO WE ARE

Sanabel Al Ataa Company, Based In Amman, Jordan, Is A Leading Enterprise Specializing In The Manufacturing Of Paper, Cardboard, And Recycling. As A Proud Member Of Khattab Industrial Group, Our Company Is Firmly Rooted In The Industrial Landscape Of The Region . Boasting An Annual Production Capacity Of 100,000 Tons, Sanabel Al Ataa Operates With A Dedicated Workforce Exceeding 500 Employees, With 20% Of Our Workforce Being Comprised Of Talented Women. Our Vision At Sanabel Al Ataa Is To Play A Pivotal Role In Promoting Global Environmental Sustainability And To Lead The Paper And Cardboard Industry In Jordan, Middle East, And North Africa .





CEO Mahmoud Khattab

A handwritten signature in black ink, appearing to be 'Mahmoud Khattab', written in a cursive style.

Dear Valued Success Partners,

When partnering with Sanabel Al Ataa, you're aligning with seasoned professionals boasting decades of international trade expertise. Our meticulous approach to shipping and logistics guarantees meticulous attention to every aspect of your order sourcing. With a keen understanding of the intricate dynamics of foreign markets, we adeptly cater to the requirements of both suppliers and customers, ensuring optimal efficiency. Recognizing the inherent unpredictability of global trade, we safeguard transactions by providing comprehensive trade financing and risk management solutions. Our enduring strengths lie in strategic foresight, unwavering stability amidst uncertainty, and impeccable logistical execution, positioning us as leaders in the industry.



OUR TOP-NOTCH PRODUCTION LINE



**PAPER
RECYCLING
FACTS**

INTERESTING FACTS

INTERESTING FACTS ABOUT SANABEL AL ATAA PROCESS
OF RECYCLING 1 TON OF PAPER



OUR PRODUCTS



FLUTE
PAPER

100-350
GSM



TEST
LINER
PAPER

100-350
GSM



KRAFT
& SIMI
PAPER

125-200
GSM



WHITE
TOP
PAPER

125-200
GSM



KRAFT
PAPER
CAP

150-350
GSM

OUR PRODUCTS



- Sanael Toilet tissue
450 grams,
500 grams,
750 grams,
1000 grams
and 1500 grams.



- Sanabel Toilet tissue
450 grams,
500 grams,
750 grams,
1000 grams
and 1500 grams.



- Sanabel Facial Tissues 200 sheets x 3
Ply, Pack of 10
- Sanabel Facial Tissues 200 sheets x 2
Ply, Pack of 10
- Sanabel Facial Tissues 300 sheets x 2
Ply, Pack of 10 Or 12 pack
- Sanabel Facial Tissues 180 sheets x 2
Ply, Pack of 10
- Sanabel Facial Tissues 120 sheets x 2
Ply, Pack of 10

TYPICAL CHARACTERISTICS

Flute Liner

PARAMETERS	UNIT	STANDARD METHOD	GRAMMAGE					
Basis Weight	g/m ²	ISO 186	110	120	125	150	175	200
Moisture	%	ON-LINE	7.5					
CMT ₃₀	N	ISO 7263	200	220	230	270	-	-
SCT _{CD}	kN/m	ISO9895	2.05	2.3	2.4	2.8	3.3	3.5

TOLERANCE

PARAMETERS	UNIT	STANDARD METHOD	GRAMMAGE					
Basis Weight	g/m ²	ISO 186	110	120	125	150	175	200
Mean Basis Weight	%		± 3%					
Moisture	%	ON-LINE	7.5					
Mean Moisture	%		± 1					
CMT ₃₀	N	ISO 7263	± 10%					
SCT _{CD}	kN/m	ISO9895	± 10%					

Test Liner

PARAMETERS	UNIT	STANDARD METHOD	GRAMMAGE					
Basis Weight	g/m ²	ISO 186	110	120	125	150	175	200
Moisture	%	ON-LINE	7.5					
Burst Strength	Kg/cm ²	ISO 2759	290	310	315	380	430	505
SCT _{CD}	kN/m	ISO9895	2.0	2.05	2.2	2.4	2.8	3.2
COBB	g/m ²	ISO 535	50 - 35					

TOLERANCE

PARAMETERS	UNIT	STANDARD METHOD	GRAMMAGE					
Basis Weight	g/m ²	ISO 186	110	120	125	150	175	200
Mean Basis Weight	%		± 3%					
Moisture	%	ON-LINE	7.5					
Mean Moisture	%		± 1					
Burst Strength	Kg/cm ²	ISO 2759	± 10%					
SCT _{CD}	kN/m	ISO9895	± 10%					
COBB	g/m ²	ISO 535	± 10%					

QUALITY
SPECIFICATIONS

TYPICAL CHARACTERISTICS

KRAFT TOP LINER

PARAMETERS	UNIT	STANDARD METHOD	GRAMMAGE					
Basis Weight	g/m ²	ISO 186	110	125	135	150	175	200
Moisture	%	ON-LINE	7.5					
Burst Strength	Kg/cm ²	ISO 2759	3.4	3.8	4.15	4.4	4.75	5.4
SCT _{CD}	kN/m	ISO9895	2.10	2.35	2.50	2.75	3.25	3.70
COBB ₆₀ (Top)	g/m ²	ISO 535	30					
COBB ₆₀ (Bottom)	g/m ²		35					

TOLERANCE

PARAMETERS	UNIT	STANDARD METHOD	GRAMMAGE					
Basis Weight	g/m ²	ISO 186	110	125	135	150	175	200
Mean Basis Weight	%	ON-LINE	± 3%					
Moisture	%		7.5					
Mean Moisture	%	ISO 2759	± 1					
Burst Strength	Kg/cm ²		± 10%					
SCT _{CD}	kN/m	ISO9895	± 10%					
COBB ₆₀ (Top)	g/m ²	ISO 535	45					
COBB ₆₀ (Bottom)	g/m ²		55					

WHITE TOP LINER

PARAMETERS	UNIT	STANDARD METHOD	GRAMMAGE					
Basis Weight	g/m ²	ISO 186	110	120	125	150	175	
Moisture	%	ON-LINE	8					
Burst Strength	Kg/cm ²	ISO 2759	2.7	2.85	2.9	3.1	3.6	
SCT _{CD}	kN/m	ISO 9895	1.8	1.87	1.9	2.25	2.62	
Scott-Bond	J/m ²	ISO 16260	290					
Brightness (top)	%	ISO 2470	75					
COBB (top)	g/m ²	ISO 535	30					

TOLERANCE

PARAMETERS	UNIT	STANDARD METHOD	GRAMMAGE					
Basis Weight	g/m ²	ISO 186	110	120	125	150	175	
Mean Basis Weight	%	ON-LINE	± 3%					
Moisture	%		8					
Mean Moisture	%	ISO 2759	± 1					
Burst Strength	Kg/cm ²		± 10%					
SCT _{CD}	kN/m	ISO9895	± 10%					
Scott-Bond	J/m ²	ISO 16260	Min. 250					
Brightness (top)	%	ISO 2470	75 ± 3					
COBB	g/m ²	ISO 535	Max 55					

QUALITY SPECIFICATIONS

OUR STRENGTHS



Efficiency



Ecological




Commitment



Reliability



IF YOU ARE READING THIS SO YOU ARE A PLANET PROTECTOR



SANABEL AL ATAA

JO-LAB

QBC

Quality by Control Quantitative and predictive understanding leveraged for integrated active process control with robust process design and operation .

QBD

Quality by Design Product & process understanding for systematic design of operating space using mechanistic models and DoE

QBT

Quality by Testing



AWARDS & CERTIFICATES



AWARDS & CERTIFICATES





THE BEST IS YET TO COME

Tel: +962 79 2920888

Fax: +962 79 2920555

Email: info@sanabelataa.com

P.O.Box : 110042 - Postal Cod : 11110

Jordan - Amman - Al Qastal

Website : Www.Sanabelalataa.com